

YONGKANG BEIQIN INDUSTRIAL CO.,LTD

📍 Factory address: No.18 Jintian Road, Wangxitian village,
Xiangzhu Town, Yongkang City, Zhejiang Province, China.

☎ Tel: 0086-579 87115800 📠 Fax: 0086-579 87165193

✉ Email: Ann@zjbeiqin.com Abby@zjbeiqin.com
sale4@zjbeiqin.com beiqin01@zjbeiqin.cn
sale8@zjbeiqin.com

🌐 Web: <https://yongkangbeiqin.1688.com>
<https://beiqingongmao.en.alibaba.com>
<https://www.beiqinmedical.com>
<https://www.beiqinfactory.com>



MOBILITY SCOOTER ●

NURSING CARE BED ●

WHEELCHAIR ●

2025
VERSION



2009

Year of established

COMPANY PROFILE

YONGKANG BEIQIN INDUSTRY AND TRADE CO., LTD.

Yongkang Beiqin Industry & Trade Co., Ltd. ("Yongkang Beiqin"), located in Yongkang, Zhejiang Province (China's Hardware Capital), has specialized in rehabilitation assistive devices since 2009. Operating a 20,000m² smart factory producing 6,000+ units daily, we export to 50+ countries and provide OEM/ODM services for global brands including Homcom and Walgreens.

As a Zhejiang High-Tech Enterprise, we engineer elderly assistive products - rollators, walkers, mobility scooters, and shower chairs - using lightweight materials like aluminum and carbon fiber, supported by 60+ precision machines. Our brand Fujiang (Technology for Dignity) delivers unparalleled efficiency:

3-day prototyping | 7-day mass production
180,000-unit ready stock

Certified with FDA, CE, UKCA, ISO 13485, BSCI, etc., we implement digital management throughout R&D and manufacturing cycles. Driven by "Industrial Precision, Human-First Innovation", we develop adaptive solutions for aging communities and disabled individuals, advancing global rehabilitation standards.



CERTIFICATE OF HONOR





flexible



safety



durable



portable



comfortable



flexible



safety



durable



portable



comfortable

YL-08A



YL-07



YL-09B



YL-01S



YL-09S



YL-07T



YL-01X



YL-01D



Model	Net weight (with battery)	Gross weight (with battery)	Maximum bearing weight	Speed (km/h)	Maximum mileage	Charging time	Vehicle size	Package size
YL-08A	43 KG	52 KG	100 KG	6-8	≥ 15KM	8-10 hours	110*52*90CM	113*53*56CM
YL-07	43 KG	52 KG	100 KG	6-8	≥ 15KM	8-10 hours	110*52*90CM	113*53*56CM
YL-09S	45 KG	55 KG	150 KG	6-8	≥ 15KM	8-10 hours	110*52*90CM	113*53*56CM
YL-07T	46 KG	56 KG	150 KG	6-8	≥ 15KM	8-10 hours	110*52*90CM	113*53*56CM

Model	Net weight (with battery)	Gross weight (with battery)	Maximum bearing weight	Speed (km/h)	Maximum mileage	Charging time	Vehicle size	Package size
YL-09B	46 KG	56 KG	150 KG	6-8	≥ 15KM	8-10 hours	110*52*90CM	113*53*56CM
YL-01S	46 KG	56 KG	150 KG	6-8	≥ 18KM	8-10 hours	112*52*90CM	113*53*56CM
YL-01X	45 KG	55 KG	150 KG	6-8	≥ 18KM	8-10 hours	112*52*90CM	113*53*56CM
YL-01D	45 KG	55 KG	150 KG	6-8	≥ 18KM	8-10 hours	112*52*90CM	113*53*56CM



flexible



safety



durable



portable



comfortable



flexible



safety



durable



portable



comfortable

YL-18



YL-16



YL-308



YL-308L



YL-211X



YL-211



YL-309



Model	Net weight (with battery)	Gross weight (with battery)	Maximum bearing weight	Speed (km/h)	Maximum mileage	Charging time	Vehicle size	Package size
YL-18	45 KG	55 KG	150 KG	6-8	≥ 28KM	8-10 hours	110*52*90CM	113*53*56CM
YL-16	52 KG	62 KG	180 KG	8-10	≥ 25 KM	8-10 hours	120*53*100CM	124*57*64CM
YL-211X	19 KG	28 KG	100 KG	6-8	≥ 18 KM	6-10 hours	98*52*90CM	98*52*37CM
YL-211	21 KG	34 KG	100 KG	6-8	≥ 18 KM	6-10 hours	98*52*90CM	80*52*37CM

Model	Net weight (with battery)	Gross weight (with battery)	Maximum bearing weight	Speed (km/h)	Maximum mileage	Charging time	Vehicle size	Package size
YL-308	25 KG	29 KG	100 KG	6/12/18	25 kilometers	8-10 hours	110x52x90CM	63x41x74CM
YL-308L	34 KG	40 KG	100 KG	6/12/18	40 kilometers	8-10 hours	110x52x90CM	63x41x74CM
YL-309	34 KG	40 KG	100 KG	6/10	40 kilometers	8-10 hours	110x52x90CM	63x41x74CM



flexible



safety



durable



portable



comfortable



flexible



safety



durable



portable



comfortable

✎ Dragonfly (X-01)



✎ Mind (X-02)



✎ KingKong (S-02) Pro



✎ Luxury (S-03)



✎ Luxury (S-01)



✎ KingKong (S-02)



✎ XL-01 - four wheel with canopy



Model	Overall Dimension	Net weight	Gross weight	Climb Degree	Max Range	Max Load	Packing Size
Dragonfly (X-01)	105*50*90CM	40KG	45KG	≥12°	18-22KM	120KG	109*51*50CM
Mind (X-02)	102*49*91CM	40KG	43KG	≥12°	18-22KM	120KG	105*51*50CM
Luxury (S-01)	113*52*88CM	52KG	56KG	≥12°	28-35KM	120KG	113*53.5*50CM
KingKong (S-02)	108*50*90CM	40KG	45KG	≥15°	18-25KM	120KG	109*51*50CM

Model	Overall Dimension	Net weight	Gross weight	Climb Degree	Max Range	Max Load	Packing Size
KingKong (S-02) Pro	108*50*90CM	45KG	50KG	≥15°	28-35KM	120KG	109*51*50CM
Luxury (S-03)	112*54*94CM	54KG	62KG	≥12°	28-35KM	150KG	117*58*52CM

Model	Overall Dimension	Net weight	Max Speed	Max Degree of Climbing	Max Load	Packing Size
XL-01 - four wheel with canopy	160*70*107CM	90KG	28 km/h	25-30°	150KG	152*68*105CM



flexible



safety



durable



portable



comfortable



flexible



safety



durable



portable



comfortable

YL-TK500



YL-985



YL-01



YL-211X



Model	Materisl	Dimensions	Max Range	Carton Size	Net weight	Gross weight	Load capacity
YL-TK500	Steel	130*60*86CM	40KM	141.5*72*89CM	100KG	122KG	≤150KG
YL-01	Steel	108*50*90CM	20KM	111*53*52CM	52KG	55KG	≤100KG

Model	Materisl	Dimensions	Max Range	Carton Size	Net weight	Gross weight	Load capacity
YL-985	Alluminum	108*52*90CM	20KM	100*50*37CM	15KG	25KG	≤100KG
YL-TK500	Aluminum	130*60*86CM	20-30KM	98*50*37CM	22KG	31KG	≤100KG



flexible



safety



durable



portable



comfortable



flexible



safety



durable



portable



comfortable

JD-C05

Electric two functions medical bed

- Overall bed length: 2160mm
- Overall bed width: 1060mm
- Overall bed height: 450-700mm
- Mattress base length: 2000mm
- Mattress base width: 900mm
- Backrest angle: 0-75°
- Leg section angle: 0-30°
- Overall incline function: $\pm 15^\circ$
- Bed frame on sides: Thickness:1.2mm
- Bed frame at ends: Thickness:1.2mm
- Bed leg: Thickness:1.2mm
- Bed panel: Thickness:1.0mm
- Weight capacity: 260KG



JD-H03(A)

Multi-function manual nursing bed

- Overall bed length: 2120mm
- Overall bed width: 960mm
- Overall bed height: 520mm
- Mattress base length: 2000mm
- Mattress base width: 900mm
- Backrest angle: 0-80°
- Leg section angle: +25°-65°
- Safe working load: 260kg



FW0403151

Washable wheelchair

Default inflatable tire, black, can be replaced with a solid tire, not with the dining table



FW0403153

Upgraded electroplated leather toilet

Solid fetus The cart has a rear handbrake and a self-locking brake system.
The inflatable tire cannot be replaced.



FW0403152

Electroplated linen soft seat

Default solid tire, black, replaceable inflatable tire, can be matched with the dining table



FW0403154

Electroplated leather all-in-one wheel

The default solid tire can be used with the dining table.



Model	Net weight	Gross weight	Expanded Size	Folding size	Packaging size
FW0403151	14KG	15KG	90-102*68*90CM	90*28*90CM	95*25*74CM
FW0403152	14KG	15KG	90-102*68*90CM	90*28*90CM	95*25*74CM
FW0403153	17KG	19KG	100*63*90CM	76*26*90CM	92*28*87CM
FW0403154	17KG	18KG	87*68*90CM	87*28*90CM	92*26*92CM

FW0403155

Electroplated toilet double cushion

Default solid tire can be replaced with an inflatable tire and can be used with the dining table



FW0403156

Electroplated toilet double cushion all-in-one wheel

The default solid tire can be used with the dining table.



FW0403157

Upgraded electroplated leather, leather toilet

Solid fetus The cart has a rear handbrake and a self-locking brake system. The inflatable tire cannot be replaced.



FW0240310

Full lying wheelchair

solid tire It can be matched with a dining table. You can't replace the inflatable tire. The backrest is 90-180 degrees.Regulate



Model	Net weight	Gross weight	Expanded Size	Folding size	Packaging size
FW0403155	17KG	18KG	87*68*90CM	87*28*90CM	92*26*92CM
FW0403156	17KG	18KG	87*68*90CM	87*28*90CM	92*26*92CM
FW0403157	17KG	19KG	100*63*90CM	76*26*90CM	92*28*87CM
FW0240310	20KG	22KG	125-180*68*100-128CM	101*32*100CM	106*34*98CM

FW0240311

Full lying wheelchair

solid tire It can be matched with a dining table. You can't replace the inflatable tire. The backrest is 90-180 degrees.Regulate



FW0240314S1

Small wheel baffle

solid tire, non-replaceable inflatable tire, cannot be used with the dining table



FW0240314S2

Small wheel baffle

solid tire, non-replaceable inflatable tire, cannot be used with the dining table



FW0240314S3

16 liftable armrests, small wheels can be lifted - Oxford Orange

solid tire, non-replaceable inflatable tire, not compatible with the dining table



Model	Net weight	Gross weight	Expanded Size	Folding size	Packaging size
FW0240311	20KG	22KG	125-180*68*100-128CM	101*32*100CM	106*34*98CM
FW0240314S1	11KG	12KG	87*57*87CM	76*24*67CM	78*24*74CM
FW0240314S2	11KG	12KG	80*57*88CM	72*26*70CM	78*24*74CM
FW0240314S3	11.5KG	12.5KG	88*57*90CM	72*23*70CM	78*24*74CM



flexible



safety



durable



portable



comfortable



flexible



safety



durable



portable



comfortable

YL-9000



YL-6011



EW-03



EW-04



YL-103



EW-01



EW-05



EW-06



Model	Material	Net Weight with battery	Weight Capacity	MAX. Climbing GradeMAX	Charging Time	Dimensions	Packing Size
YL-9000	Aluminium alloy	26KG	150KG	≥15°	4-6H	104*60*95CM	62*38*79CM
YL-6011	iron pipe	34KG	100KG	≥15°	7-8H	105*68*91CM	81*37*77CM
YL-103	iron pipe	43KG	100KG	≥15°	7-8H	105*68*91CM	81*37*77CM

Model	Material	Climb degree	Max Loading	Charge time	Net weight	Gross weight	Dimensions	Packing size
EW-01	Stainless Iron	≥12°	120KG	8-12 hours	42.4KG	49.5KG	100.5*67*96CM	79*48*73.5CM

Model	Material	Climb degree	Max Loading	Charge time	Net weight	Gross weight	Dimensions	Packing size
EW-03	Aluminum Alloy	≥12°	120KG	6-10 hours	30KG	34.6KG	107*59*95CM	60*35*87CM
EW-04	Stainless Iron	≥12°	120KG	6-8 hours	29KG	34KG	95*58*89CM	74*38*76CM
EW-05	Stainless Iron	≥12°	100KG	6-8 hours	36KG	40KG	117*46*89CM	90*48*75CM
EW-06	Stainless Iron	≥12°	100KG	6-8 hours	37.2KG	42KG	115*61*95CM	/



flexible



safety



durable



portable



comfortable



flexible



safety



durable



portable



comfortable

FLFS001



FLFS002



FLFS005



FLFS006



FLFS003



WLFS004



FLFS007



FLFS008



Model	Materisl	Dimensions	Max Loading	Net weight	Gross weight	Front wheel	Rear wheel
FLFS001	Aluminum Alloy	L83*W52*H89CM	100KG	9.5KG	11.0KG	6 IN	12 IN
FLFS002	iron	L83*W52*H89CM	100KG	9.0KG	10.0KG	6 IN	8 IN
FLFS003	iron	L83*W52*H89CM	100KG	9.5KG	10.5KG	6 IN	12 IN
WLFS004	iron	L83*W52*H89CM	100KG	10.0KG	11.5KG	6 IN	12 IN

Model	Materisl	Dimensions	Max Loading	Net weight	Gross weight	Front wheel	Rear wheel
FLFS005	Aluminum Alloy	L83*W52*H89CM	100KG	8.5KG	10.0KG	6 IN	8 IN
FLFS006	Aluminum Alloy	L83*W52*H89CM	100KG	8.5KG	10.0KG	6 IN	8 IN
FLFS007	iron	L83*W52*H89CM	100KG	8.5KG	10.0KG	6 IN	12 IN
FLFS008	Aluminum Alloy	L83*W52*H89CM	100KG	9.5KG	11.0KG	6 IN	12 IN